





FIG. 2











Matte 01568-008003 Applicant(s): Mark W. Miles VISIBLE SPECTRUM MODULATOR ARRAYS





88 160 -162 168 164 86


FIG. 9















FIG. 13







FIG. 15










FIG. 17


Matter No.: 01568-008003 Applicant(s): Mark W. Miles Page 11 of 36 VISIBLE SPECTRUM MODULATOR ARRAYS 476 480 478-472 47**4** 470 FIG. 18














FIG. 20E






FIG. 20F





eq. 1
$$T = \frac{T_a T_b}{\left[1 - (R_a R_b)^{1/2}\right]^2} \left[1 + \frac{4R_a R_b^{\dagger}}{\left[1 - (R_a R_b^{\dagger})^{1/2}\right]^2} \sin^2\left(\frac{\phi_a + \phi_b}{2} - \delta\right)\right]^{-1}$$

eq. 2

 $\delta = (2\pi nsds \cos \theta s)/\lambda s$

phase thickness


eq. 3

T= Tb

for Ta approaching 0

FIG. 21B


UNDRIVEN




DRIVEN


BROADBAND/NARROWBAND RESONANT


MIRROR/CAVITY







BROADBAND/NARROWBAND NON-RESONANT







BROADBAND/BROADBAND **NON-RESONANT**







NARROWBAND/NARROWBAND RESONANT





NARROWBAND/NARROWBAND **NON-RESONANT**






MIRROR/FILTER

FIG. 22F

T = Transmitted light R = Reflected light




Œ


36


A

Page
















T = Transmitted light R = Reflected light

No.: 01568-008003 of 36 ant(s): Mark W. Miles VISIBLE SPECTRUM MODULATOR ARRAYS 602 .604 -606 -608 FIG. 23A 一614 Incident Light / FIG. 23B 616 FIG. 23C








FIG. 24B





FIG. 24C













FIG. 24D





















































Matter 01568-008003
Applicant(s): Mark W. Miles
VISIBLE SPECTRUM MODULATOR ARRAYS




















THE REAL PROPERTY OF THE PARTY OF THE PARTY













FIG. 27D










FIG. 29B